


# U.S. Drought Monitor

November 27, 2012  
Valid 7 a.m. EST



## Intensity:

-  D0 Abnormally Dry
-  D1 Drought - Moderate
-  D2 Drought - Severe
-  D3 Drought - Extreme
-  D4 Drought - Exceptional

## Drought Impact Types:

-  Delineates dominant impacts
- S = Short-Term, typically <6 months  
(e.g. agriculture, grasslands)
- L = Long-Term, typically >6 months  
(e.g. hydrology, ecology)

*The Drought Monitor focuses on broad-scale conditions. Local conditions may vary. See accompanying text summary for forecast statements.*

<http://droughtmonitor.unl.edu/>




**Released Thursday, November 29, 2012**

**Author: Eric Luebehusen, U.S. Department of Agriculture**

# U.S. Hay Areas Experiencing Drought

Reflects November 27, 2012  
U.S. Drought Monitor data

Approximately 65% of the domestic hay acreage  
is within an area experiencing drought, based  
on NASS 2007 Census of Agriculture data.




Major and minor agricultural areas are based on NASS 2007 Census of Agriculture data. Counties shaded in gray contain data that are not published by NASS, and hence were not used in delineating the major and minor agricultural areas. Additional information on these agricultural data can be found at: <http://www.agcensus.usda.gov/>.

Mapped drought areas are derived from the U.S. Drought Monitor product and do not depict the intensity of drought in any particular location. More information on the Drought Monitor can be found at: <http://www.drought.unl.edu/dm/monitor.html>.

## Approximate Percentage of Hay Located in Drought \*

November 27, 2012




\* Drought percentages were calculated from U.S. Drought Monitor (USDM) data for the above date. More information on the USDM is available at <http://www.drought.unl.edu/dm/monitor.html>.



State contributions to national production (percentages in parentheses) are based upon National Agricultural Statistics Service (NASS) 2007 Census of Agriculture data. More information on NASS data can be found at <http://www.nass.usda.gov/>.

# United States Hay Areas Located in Drought





**Agricultural Weather Assessments**  
**World Agricultural Outlook Board**

- Moderate or more intense drought (D1+)
- Severe or more intense drought (D2+)
- Extreme or more intense drought (D3+)
- Exceptional drought (D4)

# U.S. Cattle Areas Experiencing Drought


Reflects November 27, 2012  
U.S. Drought Monitor data

Approximately 73% of the domestic cattle  
inventory is within an area experiencing drought,  
based on NASS 2007 Census of Agriculture data.



# Approximate Percentage of Cattle Located in Drought \*

November 27, 2012




\* Drought percentages were calculated from U.S. Drought Monitor (USDM) data for the above date. More information on the USDM is available at <http://www.drought.unl.edu/dm/monitor.html>.



State contributions to the total national inventory (percentages in parentheses) are based upon National Agricultural Statistics Service (NASS) 2007 Census of Agriculture data. More information on NASS data can be found at <http://www.nass.usda.gov/>.

## United States Cattle Areas Located in Drought





**Agricultural Weather Assessments**  
**World Agricultural Outlook Board**

- Moderate or more intense drought (D1+)
- Severe or more intense drought (D2+)
- Extreme or more intense drought (D3+)
- Exceptional drought (D4)

# U.S. Winter Wheat Areas Experiencing Drought


Reflects November 27, 2012  
U.S. Drought Monitor data

Approximately 65% of the winter wheat grown  
in the U.S. is within an area experiencing drought,  
based on historical NASS crop production data.



## Approximate Percentage of Winter Wheat Located in Drought \*

November 27, 2012




\* Drought percentages were calculated from U.S. Drought Monitor (USDM) data for the above date. More information on the USDM is available at <http://www.drought.unl.edu/dm/monitor.html>.



State contributions to national production (percentages in parentheses) are based upon National Agricultural Statistics Service (NASS) 5-year averages from 2006-2010. More information on NASS data can be found at <http://www.nass.usda.gov/>.

## United States Winter Wheat Areas Located in Drought




**Agricultural Weather Assessments**  
**World Agricultural Outlook Board**

- Moderate or more intense drought (D1+)
- Severe or more intense drought (D2+)
- Extreme or more intense drought (D3+)
- Exceptional drought (D4)