




# *Tool Kit Development to Refine and Visualize Essential Climate Data and Information for Marine Protected Areas*

**L. DeWayne Cecil<sup>1</sup>, John Stachniewicz<sup>1</sup>,  
Karsten Shein<sup>2</sup>, Steve Ansari<sup>2</sup>**

- 1. Global Science & Technology, Inc.**
- 2. NOAA's National Climatic Data Center**

# Climate Data Records-Program (CDR-P)


---



- NOAA's National Climatic Data Center (NCDC) initiated a satellite Climate Data Record (CDR) program to continuously provide objective climate information derived from satellite data.
- These data comprise the longest record of global satellite mapping measurements in the world, and are complemented by data from other sources including NASA, Department of Defense satellites, as well as foreign satellites.
- The mission of NOAA's Climate Data Record Program is to develop and implement a robust, sustainable, and scientifically defensible approach to producing and preserving climate records from satellite data.




# NOAA (and Others) Collects Decades of Data Using Same or Similar Observation Systems



# CDRs Require Consistent (Re-)Application of Advanced Algorithms Over Many Satellites and Situations

*Uncorrected Data Time Series Contain Both Environmental Information and Satellite-induced Artifacts*



*Operational weather and hazard products are produced rapidly to potentially save life and property*

*Climate Data Records (CDRs) provide long term product consistency through rigorous reprocessing with advanced algorithms, ancillary data and evolved instrument understanding.*

*Climate Information Records (CIRs) provide specific information about environmental phenomena of particular importance to science and society (e.g., hurricane trends, drought patterns)*

# Serving Up Data

Data Center Model Of Data Access



*Current method of data access and delivery*

User Model Of Data Access



*Preferred method of same*


*Going from “drinking from the fire hose” to “sipping a nice cup of tea”*

*Reduce the data volume, filter what remains, and mix with relevant ecological data to produce a desired product.*

# IMPACT

## Integrated Marine Protected Area Climate Tools

- *Provide climate information for marine resource managers*
  - *Highest quality, most relevant climate data for ecosystem studies*
- *Reduce data complexity and size applying a user-focused data access model*
- *Allow integration of climate data with ecological data*
- *Scalable, needs-based focus*
  - *Include user perspective and voice throughout*




*Impacts from climate are driven by far more than temperature or precipitation anomalies, and usually at scales/resolutions far smaller/finer than what is contained in most climate data sets. Complex interactions require the ability to access climate elements and behaviors not traditionally explored in climate impact assessments.*

# *WCT-IMPACT*

## *A Tool to Visualize Climate Data Records*

---




# IMPACT User Community

---

*Marine resource managers needing to know how climate changes effect their ecosystems:*

- *1700 Marine Protected Areas*
- *14 NOAA Marine Sanctuaries\**
- *5 Sentinel Sites*



*\*Gulf of the Farallones National Marine Sanctuary (GNMS) for rapid prototyping*

- *Pacific Coast Federation of Fisherman's Associations*
- *Ocean Climate Center*
- *Visitor and Education Center*

# Example Data Provided with IMPACT

---

Variable	Resolutions
<i>Sea Surface Temperature (SST) Pathfinder SST - Bob Evans</i>	<i>Daily, 4 km</i>
<i>Ocean Color (chlorophyll) SeaWiFS 9/1997 - 12/2004 MODIS Aqua 2002 - 2011</i>	<i>Daily, 9 km Daily, 4 km &amp; 9 km</i>
<i>Cloud Cover ISCCP Pixel Level Cloud Product (Dx)</i>	<i>3 hourly, 4 km pixel, every 32 km</i>
<i>Top of Cloud Temps GridSat - Ken Knapp</i>	<i>3 hourly, 0.07 x0.07 deg</i>

*Needed for this application: Daily, 32km or finer  
Your CDR?*

# IMPACT User Interface

The screenshot shows the NOAA Weather and Climate Toolkit application. The main window displays a map of the Gulf of the Farallones Marine Sanctuary. The IMPACT window is overlaid on the map, showing configuration options for data retrieval.

**NOAA Weather and Climate Toolkit**

File Data View Tools Help

Map View: Standard

**Integrated Marine Protected Area Climate Tools (IMPACT)**

**CDR Selection**

Marine Protected Area: Gulf of the Farallones Marine Sanctuary

Variable: Top of Cloud Temps 1.2 gigabytes

Time Period: Full Period

**Time: Full Period**

Start: 07/26/1990 End: 07/26/2000

List Results

**List Selection**

**Statistical Parameters**

- Brightness Temperature (~11um)
- irwin - Departure from yearly normal
- irwin - Departure from POR normal
- irwin - Monthly Avg
- irwin - Monthly avg departure from POR normal
- irwin - Departure from monthly normal
- irwin - Monthly Max

**Available Dates**

- 1990/07/26 00:00 GMT
- 1990/07/26 03:00 GMT
- 1990/07/26 06:00 GMT
- 1990/07/26 09:00 GMT
- 1990/07/26 12:00 GMT
- 1990/07/26 15:00 GMT
- 1990/07/26 18:00 GMT
- 1990/07/26 21:00 GMT

View


Animate

Analysis 1


Memory Usage: 51%

122.9799°W 37.7254°N (No Data)

# Visualization Capabilities



# Stepping Through Time



# Next Steps

---

- *Analysis module under development*
- *Predictive/Forecasting Module being conceptualized*
- *Develop capacity to integrate locally-held data sets*
- *Tutorial module, including a regional rapid response climate team is under development*

## **NCDC Colleagues:**

*Steve Ansari, Climate Services Division*

*Mike Urzen, Remote Sensing Applications Division*

## **GFNMS Colleagues:**

*Dr. Benêt Duncan, PACE*

*Kelley Higgason, Director, Ocean Climate Center*

## **IMPACT Needs Assessment:**

Pamela Fletcher, Florida Sea Grant

James Hendee, NOAA/AOML

Doug Pirhalla, NOAA/NCCOS

Catherine Marzin, NOAA/ONMS

Billy Causey, NOAA/ONMS

Hernan Garcia, NOAA/NODC

# THANK YOU